

Woodlarks Camp Site Trust – Risk Assessment

1. Department / Location Woodlarks Camp Site, Farnham		2. Activity Area Outdoor Cooking and Camp Fire Safety			3. Risk Assessor Lynne Cooper Date of Initial Risk Assessment 05/05/2025 Signature			4. No of Persons at Risk ONE PLUS		5. Assessment Serial No 015																															
6. Significant Hazard	7. Risks	8. Current Control Measures	9. Initial			10. Further Action Required. If yes state action. Controls / Procedures / Authorisation Training / Modification to Equipment or Process	11. Revised																																		
			P	S	RR		P	S	RR																																
Outdoor cooking Camp Fire	Burns and Scalds Fire Toxic Fumes from BBQ Slips Trips falls due to wet or slippery areas. Food poisoning	Camp Leaders Handbook contains guidelines / recommendations for BBQ's and Campfires. Children and vulnerable adults are always supervised. Water standpipes are within fifteen metres of all sites. Fire buckets and Fire extinguisher are each site. Some sites have fire beaters. All spectators are a safe distance from fire and space clear for handling hot food. Hand wash facilities provided at cook out sites.	2	4	8	The use of outdoor sites for BBQ of campfires are prohibited during extreme dry weather. Users to check prevailing wind direction and remind the fire's supervisors to try and ensure all persons are upwind to avoid smoke inhalation and sparks. Camp leaders are reminded of their responsibilities at the start of each camp. Persons instructed to dampen down the surrounding area before a BBQ or campfire and to clear the surrounding area of dry material/tinder. Instructions to soak fire after use and to inspect fire pit to ensure no underground burning taking place before leaving area. Appropriate people allocated for the safe handling of food when cooking.	1	4	4																																
12. Risk Rating			13. Risk Rating																																						
<table style="width: 100%; border: none;"> <tr> <td style="width: 33%;">PROBABILITY</td> <td style="width: 33%;">SEVERITY OF INJURY</td> <td></td> </tr> <tr> <td>1 Most Unlikely</td> <td>1 Trivial injury/ies</td> <td></td> </tr> <tr> <td>2 Unlikely</td> <td>2 Slight injury/ies</td> <td></td> </tr> <tr> <td>3 Likely</td> <td>3 Serious injury/ies</td> <td></td> </tr> <tr> <td>4 Most Likely</td> <td>4 Major injury/ies or death</td> <td></td> </tr> </table> <p>Multiply Probability (P) by Severity (S) to give Risk Rating (RR)</p>			PROBABILITY	SEVERITY OF INJURY		1 Most Unlikely	1 Trivial injury/ies		2 Unlikely	2 Slight injury/ies		3 Likely	3 Serious injury/ies		4 Most Likely	4 Major injury/ies or death		<table style="width: 100%; border: none;"> <tr> <td style="width: 33%;">RATING BANDS</td> <td style="width: 33%;">ACTION REQUIRED</td> <td></td> </tr> <tr> <td>1&2 Minimal Risk</td> <td>Maintain control measures.</td> <td></td> </tr> <tr> <td>3&4 Low Risk</td> <td>Review control measures.</td> <td></td> </tr> <tr> <td>6&8 Medium Risk</td> <td>Improve control measures.</td> <td></td> </tr> <tr> <td>9,12,16 High Risk</td> <td>Improve controls immediately & consider stopping work.</td> <td></td> </tr> </table>			RATING BANDS	ACTION REQUIRED		1&2 Minimal Risk	Maintain control measures.		3&4 Low Risk	Review control measures.		6&8 Medium Risk	Improve control measures.		9,12,16 High Risk	Improve controls immediately & consider stopping work.							
PROBABILITY	SEVERITY OF INJURY																																								
1 Most Unlikely	1 Trivial injury/ies																																								
2 Unlikely	2 Slight injury/ies																																								
3 Likely	3 Serious injury/ies																																								
4 Most Likely	4 Major injury/ies or death																																								
RATING BANDS	ACTION REQUIRED																																								
1&2 Minimal Risk	Maintain control measures.																																								
3&4 Low Risk	Review control measures.																																								
6&8 Medium Risk	Improve control measures.																																								
9,12,16 High Risk	Improve controls immediately & consider stopping work.																																								